


Technical Specifications

55462



Use the Pro20 Cart to store, transport, and charge up to 20 notebooks or laptops. An optional current-sensing timer provides adaptive switching. Padded shelves and flexible dividers protect the notebooks. The overhead wire management aids the wiring integration and allows the charging plugs to hang in front of each laptop. The cart's compact footprint and handle provide easy mobility. The Pro20 Cart is made with heavy-gauge steel for security and powder-coated for a durable, long-lasting finish. A dual-bolt lock with hasp on the doors increase security of the notebooks.



Features and Benefits

- Stores, charges, and transports up to 20 of the largest notebooks (laptops) commonly used in education
- 1.688"W x 17.450"D x 12.344"H storage bay
- Small cart footprint (21"W x 28"D) saves valuable space
- Durable ABS plastic dividers protect notebooks from scratching (dividers are removable to provide storage space for thicker devices)
- Doors provide easy-access to device and power-side of cart (can be flipped to be hinged from the left or right)
- Double bolt keyed locks and heavy-gauge steel doors provide security
- Hasp locks provide an additional level of security and the ability to use your padlocks of choice (not included), or secure the unit to a wall
- Notebooks and students are separated from all line voltage
- Superior, all-metal overhead cord management system keeps charge cords organized above each storage bay
- Ventilated doors and side panels keep notebooks and chargers cool, preventing overheating, and extending device life
- Replaceable, IEC quick-release 8' nominal 14 AWG, 3-wire power cord and external cord wrap brackets provide easy power access
- Four inboard locking 5" balloon wheel casters provide easy rolling, and quiet transport
- One all steel handle provides control and maneuverability
- Worksurface and base panel 3mm vinyl edging protects walls and furniture
- Cart ships fully-assembled with handle for quick, simple integration and deployment
- Durable powder coated steel chassis provides a long-lasting finish
- Scratch and impact-resistant high-pressure laminate top provides a durable, useful worksurface for instructors
- ETL certified to UL 60950-1 in the US and Canada for the cart and electrical system
- Warranted to be free of all defects in materials and workmanship for 10 years, electrical system 2 years
- Designed and assembled in Chippewa Falls, WI, USA

Available with:

- PowerProdigy™ timer that senses current from both power units and distributes power (up to 10A) to the least-charged devices first (where charging is needed most) **\*For most power adapters up to 135W**
- eLogix™ timer provides cycling power to both power units (non current-sensing) **\*For most power adapters up to 90W**
- Power switch provides continuous power to both power units (non current-sensing) **\*For most power adapters up to 65W**
- Two 14-outlet, (125V~/12A, 60Hz) universal power units work with both inline, and wall adapters
- External power switch provides easy-access for safe power connection / disconnection
- Two auxiliary outlets (always on) for teacher laptop, WiFi access point, or other accessory (1 external, 1 internal)
- Large, removable QuickBrick™ wiring trays with retaining straps for charge adapters allow wiring to be completed outside the cart at the comfort of a workstation or desk to provide quick and easy integration

This cart is designed to hold up to 20 notebooks or laptops.

- 55462-ABD** - with 5" Balloon Wheels, PowerProdigy™ timer
- 55462-ABL** - with 5" Balloon Wheels, eLogix™ timer
- 55462-ABB** - with 5" Balloon Wheels, Power switch

Color Options

Laminate:  
White Fiesta



Metal:  
Warm Gray



## Construction

- The worksurface and base panel is constructed from 1" composite board with .030" high-pressure laminate on one face, and a balancing phenolic backer on the opposing face
- Worksurface and base panel edges are covered with 3mm vinyl edgeband
- 16-gauge side panels, shelves, and doors
- All metal components are finished with a scratch-resistant powder coat epoxy
- This cart is factory-assembled, packaged, and shipped on its own skid

## Specifications

Capacity	20 Notebooks or Laptops	
Storage bays (nominal)	1.688"W [4.29 cm] x 17.450"D [44.32 cm] x 12.344"H [31.36 cm]	
Electrical	<ul style="list-style-type: none"> <li>• (2) 14-outlet power units (outlets rotated 90°)</li> <li>• 125V~/12A, 60Hz</li> <li>• 15-amp breaker</li> </ul>	<ul style="list-style-type: none"> <li>• Locking power-side door isolates and separates electrical line voltage from students</li> <li>• ETL certified to UL 60950-1</li> </ul>
Charging options	(See p.4 for specs)	
5" Balloon Wheels	Weight capacity 300 lb [136 kg] each	
Certifications / Compliance	<ul style="list-style-type: none"> <li>• ETL certified to UL 60950-1</li> </ul>	<ul style="list-style-type: none"> <li>• Meets or exceeds applicable ANSI-BIFMA test standards</li> </ul>
Unit weight (nominal)	146 lb [66.3 kg]	
Shipping weight (nominal)	178 lb [80.8 kg]	


*Specifications subject to change without notice*



Double-bolt lock with padlock hasp (on both doors)  
(padlocks not included)


Devices must be placed in the bays with the charge plug on one of the two exposed edges shown.


ORDER CODE B = 5" Balloon Wheel



Electrical Options

Pro20™ Electrical comparison			
PowerProdigy™ Timer	eLogix™ Timer	Power Switch	
✓		✓	External auxiliary outlet
✓	✓	✓	Internal auxiliary outlet
✓	✓	✓	External on/off switch
✓			Load-sensing technology
	✓		2 bank
✓		✓	4 bank
✓			<b>Max charging capacity: 5,760 watts</b> (on Pro20, most power adapters up to 135W)
	✓		<b>Max charging capacity: 2,880 watts</b> (on Pro20, most power adapters up to 90W)
		✓	<b>Max charging capacity: 1,440 watts</b> (on Pro20, most power adapters up to 65W)
✓	✓		LED lights indicate charging status
✓	✓	✓	ETL certified to 60950-1






### PowerProdigy™ Timer (D)

**Use with higher amp-draw devices. On the Pro20, the PowerProdigy™ Timer can be used with most power adapters up to 135W.**

- Smart charging senses current and distributes power to the power units requiring it most
- Four green LED lights indicate charging activity status of each power unit
- Four timed power unit-dedicated outlets (labeled A, B, C, D) controlled by logic board
- Two auxiliary outlets (1 external, 1 internal)
- ETL certified to 60950-1

Input:	125V~/12A, 60Hz
Breaker:	15A, 250 VAC
Cycling interval:	15 minutes
Cycling outlets:	4 timed (A, B, C, D) up to 10A
Auxiliary outlets:	1A each (controlled by main power switch)
Power Cord:	IEC quick-release (replaceable) 8' nominal, 14 AWG, 3-wire
Power switch:	15A (externally accessible)




### eLogix™ Timer (L)

**The eLogix™ timer charges one half of the devices for 15 minutes, then charges the second half of the devices for another 15 minutes. This cycling occurs automatically and is not adjustable. On the Pro20, the eLogix™ timer can be used with most power adapters up to 90W.**

- Two timed power-unit dedicated outlets (labeled A, B) (up to 10A power output)
- Two green LED lights indicate charging activity status
- One auxiliary outlet (external)
- ETL certified to 60950-1

Input:	125V~/12A, 60Hz
Breaker:	15A, 250 VAC
Cycling interval:	15 minutes
Cycling outlets:	4 timed (A, B) up to 10A
Auxiliary outlet:	1A (controlled by main power switch)
Power Cord:	IEC quick-release (replaceable) 8' nominal, 14 AWG, 3-wire
Power switch:	15A (externally accessible)







### Power Switch (B)

**The Power Switch provides continuous power to all power units. Use with lower amp-draw devices. On the Pro20, the Power Switch can be used with most power adapters up to 65W.**


- Four continuous power-unit dedicated outlets (labeled A, B, C, D)
- Two auxiliary outlets (1 external, 1 internal)
- ETL certified to 60950-1

Input:	125V~/12A, 60Hz
Breaker:	15A, 250 VAC
Outlets:	4 timed (A, B, C, D) up to 10A
Auxiliary outlets:	1A each (controlled by main power switch)
Power Cord:	IEC quick-release (replaceable) 8' nominal, 14 AWG, 3-wire
Power switch:	15A (externally accessible)


Pro20 Notebook Cart



Section view A-A





Device side view  
(shown without door)





Power-side wiring diagram  
(shown without door)

Nominal outlet spacing on  
each 14-outlet power unit






Note: Cart includes two QuickBrick™ removable trays with a hook and loop retaining strap for charge adapters for fast and easy wiring for quick deployment and cord storage.




QuickBrick™ removable tray loaded with inline adapters in vertical position




QuickBrick™ removable tray loaded with inline adapters in horizontal position

## Accessories



A	.3125" [7.9 mm]
B	1" [25.4 mm]
C	.983" [25 mm]
D	2.07" [52.5 mm]
E	.987" [25.1 mm]



### Re-programmable 4-digit Combination Lock - 95536

- Set your own 4-digit personalized combination (up to 10,000 options)
- 5/16" hardened steel shackle for cut-resistance
- Black powdercoated die-cast body for durability
- Change key included
- Unit weight: .55 lb [.25 kg]

### Hook-and-loop Strap Kit - 95004

(16) .75" [1.91 cm] x 12" [30.48 cm], and (32) .75" [1.91 cm] x 5" [12.7 cm]

### Slot labels for Pro20 - 55478

- Black numbers on transparent adhesive backer
- 1-10 label, 11-20 label

See [spectrumfurniture.com](http://spectrumfurniture.com) for the latest accessories and detailed warranty information.

## Warranty

### **We will make it right for you!**

Thanks for choosing Spectrum! Spectrum is committed to provide complete customer satisfaction. Each of our products is manufactured from the best materials available and each product is stringently monitored throughout the production process through our P.A.C.E. program (Product Assurance to meet Customer Expectations).

We expressly warrant that Spectrum products will be of good quality and workmanship and free from defect for the period set out in the warranty from the date of delivery.

**For a listing of all product specific warranty terms please visit our website at:**

<https://www.spectrumfurniture.com/en/resources/purchasing-terms-warranty>

**1-800-235-1262**

Toll-free HELPLINE

**[spectrum@spectrumfurniture.com](mailto:spectrum@spectrumfurniture.com)**