


Technical Specifications

55497



The AV Credenza Slim is a fully customizable credenza that can accommodate AV equipment using a removable rack cube, or fixed rack rail in a sleek modern finish. Available in 1, 2, or 3 bay models, the credenza can be used in conference rooms, training or classrooms. Spectrum's technology enhanced credenza is available with display stands to incorporate TV monitors, eliminating wall mounted displays.

Features and Benefits

- Available in 1-bay (25.5"W), 2-bay (50.5"), or 3-bay (73.5") versions
- Slim depth saves valuable space
- Available with 3RU fixed or removable rack cube
- Locking side panels simplify accessibility and component installation
- Optional cam lock hasp doors available on double or triple bay units provide superior protection and security
- Ventilated door and side panels keep components cool, preventing overheating, and extending device life
- Optional 3RU rack cube(s) provide removable rack capability
- Optional 3RU fixed rack provides stationary rack capability
- Optional display stand provides monitor mounting
- Optional dual display mount provides dual monitor mounting
- Optional Camera mount provides mounting location for a video teleconferencing camera
- Optional power module provides worksurface power
- Ships fully-assembled for quick, simple integration and deployment
- Durable powder coated steel chassis provides a long-lasting finish
- Warranted to be free of all defects in materials and workmanship for 10 years
- Designed and assembled in Chippewa Falls, WI, USA

Color Options

Available in Spectrum Expressions colors. See spectrumfurniture.com for complete color information.

Ordering Instructions

Spectrum has designed this product to receive the useful options shown here. To ensure your options are ordered correctly please call 1-800-235-1262.


Construction

- 14-gauge doors, 16-gauge chassis
- All metal components are finished with a scratch-resistant powder coat epoxy
- Top panel is constructed from 3/4" NAF (No Added Formaldehyde) composite board
- Top panel edges are covered with 3mm vinyl edgeband
- Factory-assembled, packaged, and shipped on its own skid. Display stand requires customer assembly.

Specifications

Bay capacity (nominal)	23.63"W [60 cm] x 9.89"D [25.1 cm] x 28.1"H [71.4 cm]	
	<i>Note: Fasteners and glide depth will influence overall effective bay capacity</i>	
Certifications / Compliance	<ul style="list-style-type: none"> • SCS Indoor Advantage Certified 	<ul style="list-style-type: none"> • Meets or exceeds applicable ANSI-BIFMA test standards
Unit weight (nominal)	50 lb [22.7 kg] - 1-Bay w/ panel 100 lb [45.4 kg] - 2-Bay w/ panels 150 lb [38.6 kg] - 3-Bay w/ panels	105 lb [47.7 kg] - 2-Bay w/ doors 155 lb [70.4 kg] - 3-Bay w/ doors
Shipping weight (nominal)	75 lb [34 kg] - 1-Bay w/ panel 125 lb [56.75 kg] - 2-Bay w/ panels 180 lb [81.72 kg] - 3-Bay w/ panels	130 lb [59 kg] - 2-Bay w/ doors 185 lb [84 kg] - 3-Bay w/ doors

Specifications subject to change without notice






Bays

ORDER CODE 1 = 1-Bay




ORDER CODE 2 = 2-Bay

ORDER CODE 3 = 3-Bay






Height

ORDER CODE 2 = 30"H




ORDER CODE 4 = 37"H




Door Options


ORDER CODE 2 = Solid laminate panel(s) - non-locking



1-Bay




2-Bay




3-Bay

ORDER CODE 3 = Solid laminate doors - cam lock

Note: Locking door not available on 1-bay unit.




2-Bay




3-Bay


ORDER CODE 4 = Acrylic panel(s) - non-locking



1-Bay




2-Bay




3-Bay

ORDER CODE 5 = Acrylic doors - cam lock

Note: Locking door not available on 1-bay unit.



2-Bay



3-Bay

ORDER CODE 0 = None

Rack options dependent on bays ordered. Request a quote online for details.


ORDER CODE A = Fixed 3RU left

ORDER CODE B = Fixed 3RU right

ORDER CODE C = Fixed 3RU center

ORDER CODE D = Fixed 3RU left, right



ORDER CODE E = Fixed 3RU left, center, right




(Shown on left side of bay)

ORDER CODE F = 1 removable 3RU Rack cube

ORDER CODE G = 2 removable 3RU Rack cubes



ORDER CODE H = 3 removable 3RU Rack cubes





ORDER CODE 0 = None

ORDER CODE A = Power Module - Black

ORDER CODE B = Power Module - Silver


ORDER CODE C = Power Module - White





ORDER CODE D = Power Module + Black & EM Wireless Charging Pad

ORDER CODE E = Power Module + Silver & EM Wireless Charging Pad

ORDER CODE F = Power Module + White & EM Wireless Charging Pad




ORDER CODE G = EM Wireless Charging Pad




ORDER CODE H = Custom cutout


See p. 12 for maximum cutout areas



1-Bay



2-Bay



3-Bay



ORDER CODE J = Custom cutout

See p. 13 for maximum cutout areas


ORDER CODE K = Power Module - Black

ORDER CODE L = Power Module - Silver


ORDER CODE M = Power Module - White



1-Bay



2-Bay



3-Bay

Worksurface only (30"H versions)

Riser panel only (37"H versions)

Display Options

Display options dependent on bays ordered. Request a quote online for details.


Note: Display stand requires anchoring to wall-hardware included.

Note: If a display stand is specified, a clearance cutout (or cutouts) will be designed into the rear worksurface edge to accommodate.


ORDER CODE 0 = None

ORDER CODE A = (1) Single display


**Most common display option*




ORDER CODE B = (2) Single displays



ORDER CODE D = (1) Dual display





ORDER CODE E = (2) Dual displays







Camera Mount

ORDER CODE 0 = None






ORDER CODE 1 = Camera Mount







1-Bay
(available with solid panel only)




2-Bay
(shown with doors)




3-Bay
(shown with doors)



Section View A-A




Section View B-B





Worksurface cutout areas



Modified cutouts should be reviewed by Spectrum to ensure clearance of frame members, brackets, or other objects.




1-Bay worksurface
(Top view)



2-Bay worksurface
(Top view)



3-Bay worksurface
(Top view)





Riser front panel cutout areas



Modified cutouts should be reviewed by Spectrum to ensure clearance of frame members, brackets, or other objects.




1-Bay riser
(Front view)




2-Bay riser
(Front view)



3-Bay riser
(Front view)






Display Stand - 55498


- Secured to worksurface and wall
- Cord grommets in wall panel route and hide wires
- Slim adjustable VESA mount (non-tilting)

Monitor size range:	37"-70" [94-177.8 cm] diagonal	
VESA compatibility:	200 x 200	600 x 400
	400 x 200	400 x 400
	300 x 300	800 x 400
Max monitor weight capacity:	125 lb [75 kg]	
Unit weight:	22.5 lb [10.2 kg]	




Dual Display Mount - 55499

- Accommodates two monitors up to 42" [106.7 cm]
- Includes (1) VESA display mount
- Includes (2) support tubes
- Adjustable left-to-right
- Requires Display Stand 55498



3RU Fixed Rack - 55516


- Includes (2) rack rails and mounting brackets
- Provides 3RU and 18.83" of depth for AV components
- Black powdercoat
- Shipping weight: 5 lb [2.3 kg]



3RU Rack Cube - 55517


- Provides ability to integrate equipment remotely before installation into the unit
- (1) rack cube can be installed per bay
- Bumpers on two sides
- Cube can be oriented with equipment horizontal or vertical
- Can be secured to base panel
- Black powdercoat
- Customer-installed

Rack rail:	3RU front and rear
Dimensions:	19.43"W [49.3 cm] x 6.25"D [15.9 cm] x 19.62"H [49.8 cm]
Equipment depth	up to 19"
Steel	16ga
Unit weight:	10.5 lb [4.8kg]
Shipping weight:	11.5 lb [5.2 kg]



Camera Mount - 55518

- Provides ability to mount camera for video teleconferencing
- Requires optional Display Stand 55498, or 55499
- Mounts above monitor(s) for group teleconferencing
- Adjustable height shelf bracket provides ideal height
- Shipping weight: 5 lb [2.3kg]




Power Module - 99058

- (2) AC power outlets
- (2) USB charge ports
- Aluminum housing and flange
- Thumbscrew clamps
- Requires worksurface cutout made by customer
- ETL-certified
- Available in black, silver, or white
- Customer-installed

Cutout required:	5.65"W [14.35 cm] x 1.65"D [4.19 cm]
Power cord:	10' [305 cm] 14AWG *3C power cord
Power receptacles:	125V, 60hz, 15A tamper-resistant
USB charging ports:	2.1A (10.5W) (not data-compatible)
Dimensions:	6.38"W [16.2 cm] x 2.36"D [6 cm] x 3.54"H [9 cm]
Unit weight:	2 lb [.9 kg]
Shipping weight:	2.35 lb [1 kg]



Product update
New USB-C Power Module version available. See details at:
www.spectrumfurniture.com



EM Wireless Charging Pad - 99057

- Uses electromagnetic technology to charge Qi V1.2 compliant IC devices ("Qi" enabled)
- LED to confirm pairing / charging
- Security tab prevents theft
- Customer-installed
- UL-certified

Cutout required:	3" dia (by customer)
Input:	DC 5V (with included DC5V.2A power adapter)
Output:	5W max (with included DC5V.2A power adapter)
Power cord:	8' [244 cm] with DC jack
Dimensions:	3.5" dia [8.9 cm] x 1.125"H [2.9 cm]
Shipping weight:	1 lb [.45 kg]

Note: The unit requires a 7" diameter of clearance to work with Qi-enabled phones placed in any orientation. The 3" dia cutout should be located on the worksurface at least 3.5" from any edge.

See spectrumfurniture.com for the latest accessories and detailed warranty information.

Warranty

We will make it right for you!

Thanks for choosing Spectrum! Spectrum is committed to provide complete customer satisfaction. Each of our products is manufactured from the best materials available and each product is stringently monitored throughout the production process through our P.A.C.E. program (Product Assurance to meet Customer Expectations).

We expressly warrant that Spectrum products will be of good quality and workmanship and free from defect for the period set out in the warranty from the date of delivery.

For a listing of all product specific warranty terms please visit our website at:

<https://www.spectrumfurniture.com/en/resources/purchasing-terms-warranty>

1-800-235-1262

Toll-free HELPLINE

spectrum@spectrumfurniture.com