


Lectern Selection Guide

INSTRUCTOR PREFERRED



Product number	55213	55258	55115	55115	55212	55411	55411	55152
Overall dimensions (W x D x H)	W: 46" [116.8 cm] D: 28.5" [72.4 cm] H: 43.5" [110.5 cm]	W: 38" [96.52 cm] D: 28.5" [72.4 cm] H: 43.5" [110.5 cm]	W: 32" [81.28 cm] D: 28.5" [72.4 cm] H: 38.5" [97.8 cm]	W: 32" [81.28 cm] D: 28.5" [72.4 cm] H: 43.5" [110.5 cm]	W: 32" [81.28 cm] D: 24" [60.95 cm] H: 43.5" [110.5 cm]	W: 24" [60.95 cm] D: 28.75" [73.03 cm] H: 36.2" [92.03 cm] (to wksf)	W: 24" [60.95 cm] D: 28.75" [73.03 cm] H: 42.2" [107.27 cm] (to wksf)	W: 24" [60.95 cm] D: 22.5" [57.16 cm] H: 45.675" [116.02 cm]
Mobility	3" Twin Wheels (4 swivel, 2 locking)	3" Twin Wheels (4 swivel, 2 locking)	3" Twin Wheels (4 swivel, 2 locking)	3" Twin Wheels (4 swivel, 2 locking)	3" Twin Wheels (4 swivel, 2 locking)	5" Balloon Wheels (4 swivel, 4 locking)	5" Balloon Wheels (4 swivel, 4 locking)	3" Twin wheel casters (4 swivel, 4 locking)
Instructor-Side Access	2 Locking doors	1 Locking door	1 Locking door	1 Locking door	1 Locking door	Optional locking door	Optional locking door	Open
Audience-Side Access	Removable Panel	Removable Panel	Removable panel	Removable panel	Removable panel	1 Locking Door	1 Locking Door	Lift-off panel
Optional Flip-up Shelf	19.25"W [48.9 cm] x 26"D [66 cm] (Max 2 per lectern) Weight capacity: 35 lb	19.25"W [48.9 cm] x 26"D [66 cm] (Max 1 per lectern) Weight capacity: 35 lb	15.25"W [38.7 cm] x 26"D [66 cm] (Max 2 per lectern) Weight capacity: 35 lb	15.25"W [38.7 cm] x 26"D [66 cm] (Max 2 per lectern) Weight capacity: 35 lb	18"W [45.7 cm] x 21.5"D [54.6 cm] (Max 2 per lectern) Weight capacity: 35 lb	16"W x 19.375"D (Max 2 per lectern) Weight capacity: 35 lb	16"W x 19.375"D (Max 2 per lectern) Weight capacity: 35 lb	-
Optional Logo Panel	Yes	Yes	Yes	Yes	Yes	No - custom-cut into front door	No - custom-cut into front door	Yes
Footprint	W: 46" [116.8 cm] D: 28.5" [72.4 cm]	W: 38" [96.52 cm] D: 28.5" [72.4 cm]	W: 32" [81.28 cm] D: 28.5" [72.4 cm]	W: 32" [81.28 cm] D: 28.5" [72.4 cm]	W: 32" [81.28 cm] D: 24" [60.95 cm]	W: 24" [60.95 cm] D: 28.75" [73.03 cm]	W: 24" [60.95 cm] D: 28.75" [73.03 cm]	W: 24" [60.95 cm] D: 22.5" [57.16 cm]
Bumper	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	-
Lock Rod Construction	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	-	-	-
Key / Hasp	2-Point, keyed	2-Point, keyed	2-Point, keyed, with hasp	2-Point, keyed, with hasp	2-Point, keyed, with hasp	1-Point, keyed	1-Point, keyed	-
Accessories	55381 - 13RU Rack Cube 55384 - 15RU Rack Cube 55269 - Flip-Up Shelf 55113 - 2RU Rack Rail Kit 55386 - Keyboard Tray 55199 - Customized Logo Panel 96510 - Overbridge Insert Panel-XL (1 or 2 piece) 55382 - Toe Kick Kit 99044 - Cove Power Module 99051 - Cooling Fan 55383 - Security Panel 99037 - Universal Cord Reel Kit	55197 - 12RU Rack Cube (36"H) 55269 - Flip-Up Shelf 55199 - Customized Logo Panel 96507 - Overbridge Insert Panel-Large (1 or 2 piece) 55198 - Toe Kick Kit 99044 - Cove Power Module 99051 - Cooling Fan 99037 - Universal Cord Reel Kit	55197 - 12RU Rack Cube (36"H) 55385 - Flip-Up Shelf 55386 - Keyboard Tray 55113 - 2RU Rack Rail Kit 55111 - Customized Logo Panel 96504 - Overbridge Insert Panel-Med (1 or 2 piece) 55387 - Instructor-Side Door (36"H) 55110 - Toe Kick Kit 99044 - Cove Power Module 99051 - Cooling Fan 99037 - Universal Cord Reel Kit	55384 - 15RU Rack Cube (41"H) 55385 - Flip-Up Shelf 55386 - Keyboard Tray 55113 - 2RU Rack Rail Kit 55111 - Customized Logo Panel 96504 - Overbridge Insert Panel-Med (1 or 2 piece) 55114 - Instructor-Side Door (41"H) 55110 - Toe Kick Kit 99044 - Cove Power Module 99051 - Cooling Fan 99037 - Universal Cord Reel Kit	55108 - 16RU Rack Cube 55109 - Flip-Up Shelf 55112 - Keyboard Tray 55113 - 2RU Rack Rail Kit 55111 - Customized Logo Panel 96504 - Overbridge Insert Panel-Med (1 or 2 piece) 55114 - Instructor-Side Door 55110 - Toe Kick Kit 99044 - Cove Power Module 99051 - Cooling Fan 99037 - Universal Cord Reel Kit	95520 - Econo Keyboard Tray (long slide) 95531 - Econo Keyboard Tray (short slide) 55412 - Flip-up Shelf 55405 - Instructor-Side Door 55414 - Audience-Side Door with custom logo 55404 - Power Strip + (2) Cord Wraps 55408 - 36"H Rear Rack Rail Kit 55413 - Side Table (36"W x 24"D x 29"H) 96501 - Overbridge Insert Panel 99044 - Cove Power Module 99037 - Universal Cord Reel Kit	95520 - Econo Keyboard Tray (long slide) 95531 - Econo Keyboard Tray (short slide) 55412 - Flip-up Shelf 55405 - Instructor-Side Door 55414 - Audience-Side Door with custom logo 55404 - Power Strip + (2) Cord Wraps 55407 - 42"H Rear Rack Rail Kit 55413 - Side Table (36"W x 24"D x 29"H) 96501 - Overbridge Insert Panel 99044 - Cove Power Module 99037 - Universal Cord Reel Kit	97524 - 6RU Vertical Rack Cube 55513 - Logo Panel 55514 - Additional Shelf 96516 - Underbridge w/ Power Module 55515 - Underbridge blank

*Lecterns are compatible with most Spectrum rack-mount accessories (not listed). See website for more information.

INTEGRATOR INSPIRED

Worksurface - Plain	Yes	-	Yes	Yes	Yes	-	-	-
Surround	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
Overbridge option with removable Instrument Panel	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
Steel Chassis Cabinet with "Chimney Effect" Ventilation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Rack Cabinet / Rack Cube	(up to 2) Cubes	(1) Cube	(1) Cube	(1) Cube	(1) Cube	Rack Cabinet	Rack Cabinet	Rack Cube
Cabinet / Cube Ships from Stock	Yes	Yes	Yes	Yes	Yes	-	-	-
Rack Units	13RU	12RU	12RU	16RU	16RU	15RU	19RU	6RU
Audience-Side Access to Rack Space	Keylock panel	Keylock panel	Keylock panel	Keylock panel	Keylock panel	Keylock door	Keylock door	Lift-off panel
Document Camera Drawer	-	Yes	-	-	-	-	-	-
Worksurface Pre-drilled Grommet / Monitor Holes	Yes (2) - on surround version No - on overbridge version	Yes (2) - on surround version No - on overbridge version	Yes (2) - on surround version No - on overbridge version	Yes (2) - on surround version No - on overbridge version	Yes (2) - on surround version No - on overbridge version	Yes (2) - on surround version No - on overbridge version	Yes (2) - on surround version No - on overbridge version	-
Power / Communication wiring access from floor to rack	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Quick-Release Instructor Door	Yes	Yes	Yes	Yes	Yes	Optional	Optional	-
*Factory Provided Cutouts	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes-on underbridge panel
Power Module Option	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Optional Internal Security Panel	Yes - order separately	-	-	-	-	-	-	-

DESIGNER APPROVED

Removable / Replaceable Skirt	Yes	Yes	Yes	Yes	Yes	-	-	-
Optional Toekick Kit	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
**Durable Color Coordinated 3mm Vinyl Edgeband	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
All Wood Appearance Possible	Yes	Yes	Yes	Yes	Yes	No	No	Yes
1" thick NAUF Particle Board Worksurface with HPL	Yes	Yes	Yes	Yes	Yes	Yes	Yes	3/4"
Solid Hardwood Corner Column Accents Expressions	Yes	Yes	Yes	Yes	Yes	-	-	-
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

OTHER

Construction	Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel
Country of Design and Assembly	USA	USA	USA	USA	USA	USA	USA	USA
Environmental Certification	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage
Warranty	10 year	10 year	10 year	10 year	10 year	10 year	10 year	10 year

Spectrum Expressions
Personalize your lecterns with more than 70 décor-enhancing color combinations.




*Standard cutouts are at no additional cost. Non-standard cutouts may increase cost and lead-time.

**Some laminate colors do not have matching vinyl edgeband.

Free dock-to-dock shipping within the 48 contiguous states. Liftgate: +\$120



Adjustable Lectern Selection Guide



	eLift Adjustable Height					Manual Adjustable Height
	Freedom XRS Elite Lectern™	Freedom One eLift Lectern™	Honors Lectern™	Pivot Workstation™	Pivot Premier Workstation™	Pivot Jr Workstation™
Product number	55289	55357	55178	37325	55495	37326
Ergonomics / Accessibility						
Overall dimensions (W x D x H)	W: 64.5" [163.83 cm] D: 29.6" [75.11 cm] H: 31.5"-40" [80-101.6 cm]	Lectern: W: 36.25" [92.1 cm] D: 30" [76.2 cm] H: 28.5"-42" [72.4-106.8 cm] Eq Rack: W: 22.19" [56.36 cm] D: 30" [76.2 cm]	W: 38" [96.52 cm] D: 30" [76.2 cm] H: 34"-42" [86.4-106.8 cm]	W: 36" [91.4 cm] / 48" [121.9 cm] D: 28" [71.1 cm] H: 28"-42" [71.1-106.8 cm]	W: 48" [121.9 cm] / 60" [152.4 cm] D: 24" [61 cm] H: 28.5"-42" [72.4-106.8 cm]	W: 26" [66.05 cm] D: 19.7" [50 cm] H: 27"-42" [68.6-106.8 cm]
ADA compliant	Yes	Yes	-	-	Yes (without rack)	-
Mobility	3" Twin Wheels (4 swivel)	3" Twin Wheels (4 swivel)	3" Twin Wheels (4 swivel, 2 locking)	2.35" Twin Wheels (4 locking)	2.35" Twin Wheels (4 locking)	2.35" Twin Wheels (4 locking)
Instructor-Side Access	Yes	Optional solid door on eq rack	1 Locking door	Yes	Yes	Yes
Audience-Side Access	-	Removable panel / Solid door on eq rack	Removable upper and lower panels	-	-	-
Optional Flip-up Shelf	15.25"W [38.7 cm] x 24.625"D [62.5 cm] (Max 2 per lectern) Weight capacity: 35 lb	19.25"W [48.9 cm] x 26"D [66 cm] (Max 1 per equipment rack) Weight capacity: 35 lb	15.25"W [38.7 cm] x 24.625"D [62.5 cm] (Max 2 per lectern) Weight capacity: 35 lb	-	-	-
Optional Logo Panel	Yes	Yes	Upper and Lower	Yes	Yes	-
Footprint	W: 64.5" [163.83 cm] D: 29.6" [75.11 cm]	See dims above	W: 38" [96.52 cm] D: 30" [76.2 cm]	W: 36" [91.4 cm] / 48" [121.9 cm] D: 28" [71.1 cm]	W: 48" [121.9 cm] / 60" [152.4 cm] D: 24" [61 cm]	W: 26" [66.05 cm] D: 19.7" [50 cm]
Bumper	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband
Lock Rod Construction	Heavy duty aluminum	-	Heavy duty aluminum	-	-	-
Key / Hasp	2-Point, keyed	1-Point, keyed	-	-	-	-
Accessories	55297 - Rack Cabinet 55333 - Flip-Up Shelf 55389 - Customized Logo Panel 55334 - Keyboard Tray 96504 - Overbridge Insert Panel-Med (1 or 2 piece) 99058 - Power Module 99057 - EM Wireless Charging Pad	55359 - Unit-to-Unit Connector Kit 55380 - Customized Logo Panel 55378 - Flip-Up Shelf 68153 - Clear Acrylic Door 68152 - Solid Door 55379 - Keyboard Tray 55357 - Freedom One eLift Lectern 55358 - Eq Rack for Freedom One eLift 99045 - Rechargeable Battery Pack 96507 - Overbridge Insert Panel-Large (1 or 2 piece) 99058 - Power Module 99057 - EM Wireless Charging Pad	55197 - 12RU Rack Cube 55147 - Flip-Up Shelf 55148 - Customized Upper Logo Panel 55149 - Customized Lower Logo Panel 96507 - Overbridge Insert Panel-Large (1 or 2 piece) 99058 - Power Module 99057 - EM Wireless Charging Pad	37327 - Footrest 37328 - Storage Bin 37329 - Pull-out Keyboard Tray 37330 - Locking pull-out drawer 37331 - Modesty Panel w/ laminate 37332 - Modesty Panel 99058 - Rechargeable Battery Pack System 99057 - EM Wireless Charging Pad	55199 - Logo Panel 55496 - Pull-out Keyboard Tray 38982 - CPU Sling 38983 - 6RU Rack Kit 99045 - Rechargeable Battery Pack System 99058 - Power Module 99057 - EM Wireless Charging Pad	98513 - Glide Kit
Lecterns are compatible with most Spectrum rack-mount accessories (not listed). See website for more information.						
Worksurface - Plain	-	-	-	Yes	Yes	Yes
Surround	Yes	Yes	Yes	-	-	-
Overbridge option with removable Instrument Panel	Yes	Yes	Yes	-	-	-
Steel Chassis Cabinet with "Chimney Effect" Ventilation	Yes	Yes	Yes	-	-	-
Rack Cabinet / Rack Cube	Rack Cabinet	Rack Cabinet	(1) Cube	-	optional	-
Cabinet / Cube Ships from Stock	Yes	Yes	Yes	-	-	-
Rack Units	Instructor-side: 14RU Audience-Side: 10RU	18RU	12RU	-	6RU w/ option (Not ADA-compliant with this option)	-
Audience-Side Access to Rack Space	Cabinet only	Removable panel / Solid door option	Keylock panel	-	-	-
Document Camera Drawer	-	-	-	-	-	-
Worksurface Pre-drilled Grommet / Monitor Holes	Yes (2) - on surround version Yes (1) - on overbridge version	Yes (2) - on surround version No - on overbridge version	Yes (2) - on surround version No - on overbridge version	-	Yes (2)	-
Power / Communication wiring access from floor to rack	Yes	Yes	Yes	-	Yes	-
Quick-Release Instructor Door	Yes	Option on Rack Cabinet	Yes	-	-	-
*Factory Provided Cutouts	Yes	Yes	Yes	Yes	Yes	-
Power Module Option	Yes	Yes	Yes	Yes	Yes	-
Optional Internal Security Panel	-	-	-	-	-	-
Removable / Replaceable Skirt	Yes	-	Yes	-	-	-
Optional Toekick Kit	-	-	-	-	-	-
**Durable Color Coordinated 3mm Vinyl Edgeband	Yes	Yes	Yes	Yes	Yes	Yes
All Wood Appearance Possible	Yes	-	-	-	-	-
1" thick NAUF Particle Board Worksurface with HPL	Yes	Yes	Yes	Yes	Yes	3/4"
Solid Hardwood Corner Column Accents	Yes	-	Yes	-	-	-
Expressions	Yes	Yes	Yes	Yes	Yes	Yes
Construction	Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel
Country of Design and Assembly	USA	USA	USA	USA	USA	USA
Environmental Certification	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage
Warranty	10 year	10 year	10 year	10 year	10 year	10 year

*Standard cutouts are at no additional cost. Non-standard cutouts may increase cost and lead-time.

**Some laminate colors do not have matching vinyl edgeband.

Free dock-to-dock shipping within the 48 contiguous states. Liftgate: +\$120




Spectrum Expressions

Personalize your lecterns with more than 70 décor-enhancing color combinations.



Lockers & Stations Selection Guide



Product number	55394	55489	55430 (no power), 55431 (w/ power)	55447	55434
Device(s)	Tablets, iPads, Chromebooks, Notebooks	Tablets, iPads, Chromebooks, Notebooks	Tablets, iPads, Chromebooks, Notebooks	Tablets or iPads	Tablets or iPads
Capacity (units)	8	10	16 or 8	20	32
Storage Bay Size (W x D x H)	W: 11" [27.94 cm] D: 14.933" [37.93 cm] H: 1.964" [5 cm]	W: 1.25" [3.17 cm] D: 14.39" [36.55 cm] H: 10.122" [25.7 cm]	16 devices: W: 1.25" [3.18 cm] D: 17.375" [44.13 cm] H: 11.906" [30.23 cm] 8 full-size notebooks: W: 2.5625" [6.5 cm] D: 17.375" [44.13 cm] H: 11.906" [30.23 cm]	W: .75" [1.9 cm] D: 12.6525" [32.14 cm] H: 9.5078" [24.16 cm]	W: 1.25" [3.17 cm] D: 12.642" [32.11] H: 9.5" [24.14]
Numbered Slots	-	Optional	Yes	Yes	Yes
Front Access	Open	1 Door	1 Door	2 Doors	1 Door
Rear / Side Access	Yes both sides-power adapter access	-	-	-	Yes-side access
Dividers	-	ABS	ABS	ABS	ABS
Adjustable Dividers	-	-	-	-	-
Bay Floor / Shelf	Metal	Metal	Metal Padded	Metal Padded	Metal Padded
Pull-out drawer	-	Yes	Yes	-	-
Overall dimensions (W x D x H)	W: 13.249" [33.66 cm] D: 17.058" [43.33 cm] H: 17.75" [45.08 cm]	W: 14.08" [35.77 cm] D: 16.61" [42.19 cm] H: 14.08" [35.77 cm]	W: 26.562" [67.47 cm] D: 19" [48.27 cm] H: 19.75" [50.17 cm]	W: 18.4375" [46.83 cm] D: 15.1875" [38.58 cm] H: 26.495" [67.3 cm]	W: 30.2788" [76.91 cm] D: 15.5" [39.38 cm] H: 23.5" [59.69 cm]
Lock Rod Construction	-	-	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum
Key / Hasp	-	Key and Hasp	Key	Key	Key
Lock	-	1 Point, keyed	2 Point, keyed	2 Point, keyed	2 Point, keyed
Cord Quantity	1	2	1	1	1
Electrical charge outlets	8	16	16 (power-version only)	20	32
Charge outlet type	One 8-outlet strip, one cord	Optional 8-outlet strips (rotated outlets)	Optional 8-outlet strips (rotated outlets)	One 20-outlet strip, one cord	Two 16-outlet vertical two cords
Low-voltage wire management	Cutouts in side panels captivate each charge dongle directly next to each device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device
Charge tray	Metal Shelf	Pull out tray ideal for BYOD	Pull out tray ideal for BYOD	Overhead wire management bars	Overhead wire management bars
IEC in Power Strip	Yes	-	-	-	-
Power Strip Construction	Metal	Metal / Plastic	Metal / Plastic	Metal / Plastic	Metal / Plastic
Replaceable power cord	Yes	Replaceable power strip	Replaceable power strips	-	-
Fully Assembled	Yes	Yes	Yes	Yes	Yes
Construction	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel
Stackable	Yes-up to 2 units (requires stacking kit)	Yes-up to 2 units (requires stacking kit)	Yes-up to 3 units (with customer-supplied fasteners)	-	-
Wall-mountable	Yes (requires wall hanging kit)	Yes (requires wall hanging kit)	-	-	-
Country of Design and Assembly	USA	USA	USA	USA	USA
Listing Agency	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1
Environmental Certification	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage
Warranty	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical
Accessories	55395 - Stacking Kit 55396 - Wall Hanging Kit 55415 - Wall Shroud Kit 55397 - Power Module w/ Power Switch 55398 - Power Module w/ eLogix 55399 - Power Module w/ PowerProdigy 55416 - Security Door Kit with top panel 55417 - Security Door Kit	55491 - Stacking Kit 55490 - Wall Hanging Kit 55492 - Numbered Label Kit 95536 - Combination Lock	95004 - Hook and Loop Strap kit	55448 - Synchronizing USB Hubs	-

Free dock-to-dock shipping within the 48 contiguous states. Liftgate: +\$120



Laptop Carts & Cabinets Selection Guide



Product number	55468	55470	55429	55471	55462	55472	55473	55422	55423	55494	55493
----------------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

Device(s)	Tablets, iPads, Chromebooks, Notebooks	Tablets, iPads, Chromebooks, Notebooks	Tablets or iPads	Tablets or iPads	Tablets, iPads, Chromebooks, Notebooks	Tablets, iPads, Chromebooks, Notebooks	Tablets, iPads, Chromebooks, Notebooks	Tablets, iPads, Chromebooks, Notebooks	Tablets, iPads, Chromebooks, Notebooks	Tablets, iPads, Chromebooks, Notebooks	VR goggles and smartphones
Capacity (units)	32	40	32	42	20	32	30	18 (top shelf only)	36	32	30
Storage Bay Size (W x D x H)	W: 1.25" [3.18 cm] D: 15.313" [38.9 cm] H: 12.4375" [31.6 cm]	W: 1.25" [3.18 cm] D: 15.313" [38.9 cm] H: 12.34" [31.36 cm]	W: 1.25" [3.18 cm] D: 13.25" [33.66 cm] H: 10.59" [26.91 cm]	W: 1.25" [3.18 cm] D: 13.75" [34.94 cm] H: 10.59" [26.91 cm]	W: 1.688" [4.29 cm] D: 17.45" [44.32 cm] H: 12.344" [31.36 cm]	W: 1.625" [4.13 cm] D: 17.375" [44.1 cm] H: 12.344" [31.36 cm]	W: 1.35" [3.423 cm] D: 15.675" [39.81 cm] H: 10.913" [27.72 cm]	W: 1.3" [3.3 cm] D: 17.59" [44.7 cm] H: 13" [33 cm]	W: 1.3" [3.3 cm] D: 17.59" [44.7 cm] H: 13" [33 cm]	W: 1.25" [3.18 cm] D: 17" [43.19 cm] H: 11" [27.94 cm]	goggles: 4.45"W x 9.125"D x 7.474"H phones: 5"W x 7"D x .75"H
Numbered Slots	Option	Option	Option	Option	Option	Option	Option	Standard	Standard	-	Option
Device-Side Access	1 Locking door	2 Doors (1 locking both)	1 Locking door	1 Locking door	1 Locking door	2 Doors (1 locking both)	1 Locking door	2 Doors (1 locking both)	2 Doors (1 locking both)	2 Doors (1 locking both)	2 Doors (1 locking both)
Power-Side Access	1 Locking door	2 Doors (1 locking both)	1 Locking door	1 Locking door	1 Locking door	2 Doors (1 locking both)	Removable panel	Removable panel	Removable panel	-	2 Doors (1 locking both)
Dividers	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS
Bay Floor	Metal	Metal	Metal	Metal	Metal	Metal	Metal	Metal	Metal	Metal	Metal
Footprint	W: 24.75" [62.9 cm] D: 26" [66.05 cm]	W: 33.9375" [86.2 cm] D: 26" [66.05 cm]	W: 18" [45.72 cm] D: 27.344" [69.45 cm]	W: 22.125" [56.2 cm] D: 27.344" [69.45 cm]	W: 24.1875" [61.44 cm] D: 28" [71.13 cm]	W: 30.75" [78.11 cm] D: 28" [71.13 cm]	W: 26" [66.05 cm] D: 24" [60.95 cm]	W: 29" [73.66 cm] D: 25" [63.5 cm]	W: 29" [73.66 cm] D: 25" [63.5 cm]	W: 24" [60.95 cm] D: 22" [55.88 cm]	W: 33.9375" [86.2 cm] D: 26" [66.05 cm]
Bumper	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	Worksurface edgeband	-	-	-	-	Worksurface edgeband
Overall size with handle (W x D x H)	W: 27.9375" [70.97 cm] D: 26" [66.05 cm] H: 37.905" [96.28 cm]	W: 33.9375" [86.2 cm] D: 26" [66.05 cm] H: 37.905" [96.28 cm]	W: 18" [45.72 cm] D: 27.344" [69.45 cm] H: 43.876" [111.44 cm]	W: 22.125" [56.2 cm] D: 27.344" [69.45 cm] H: 44.8135" [113.83 cm]	W: 24.1875" [61.44 cm] D: 28" [71.13 cm] H: 37.9355" [96.36 cm]	W: 30.75" [78.11 cm] D: 28" [71.13 cm] H: 37.9355" [96.36 cm]	W: 26" [66.05 cm] D: 24" [60.95 cm] H: 37.94" [96.38 cm]	W: 29" [73.66 cm] D: 25" [63.5 cm] H: 40.173" [102.05 cm]	W: 29" [73.66 cm] D: 25" [63.5 cm] H: 40.173" [102.05 cm]	W: 24" [60.95 cm] D: 22" [55.88 cm] H: 37.47" [95.17 cm]	W: 33.9375" [86.2 cm] D: 26" [66.05 cm] H: 37.905" [96.28 cm]
Lock Rod Construction	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	Heavy duty aluminum	-	Heavy duty aluminum
Key / Hasp	2-Point, keyed, with hasp	2-Point, keyed, with hasp	2-Point, keyed, with hasp	2-Point, keyed, with hasp	2-Point, keyed, with hasp	2-Point, keyed, with hasp	1-Point, keyed, with hasp	2-Point, keyed, with hasp	2-Point, keyed, with hasp	1-Point, keyed, with hasp	1-Point, keyed, with hasp

Outlets available for charging	32	40	32	42	28	32	30	18	36	32	40
Power Units (strips)	(4) 8-outlet, horizontally-adjustable strips, outlets rotated 90°, replaceable IEC power cords	(4) 10-outlet, horizontally-adjustable strips, outlets rotated 90°, replaceable IEC power cords	(2) 16-outlet vertical strips, staggered outlets	(3) 14-outlet, horizontally-adjustable strips, outlets rotated 90°, replaceable IEC power cords	(2) 14-outlet horizontal strips, dual plane, outlets rotated 90°, replaceable IEC power cords	(4) 8-outlet, horizontally-adjustable strips, outlets rotated 90°, replaceable IEC power cords	(3) 10-outlet, horizontally-adjustable strips, outlets rotated 90°, replaceable IEC power cords	(1) 18-outlet, horizontally-adjustable strip, outlets available inline or rotated 90°, replaceable IEC power cord	(2) 18-outlet, horizontally-adjustable strips, outlets available inline or rotated 90°, replaceable IEC power cords	(2) 16-outlet power strips, inline or 90° rotated outlets available, replaceable IEC power cords	(4) 10-outlet, horizontally-adjustable strips, outlets rotated 90°, replaceable IEC power cords
Power Unit (strips) Construction	Metal / Plastic	Metal / Plastic	Metal / Plastic	Metal / Plastic	Metal / Plastic	Metal / Plastic	Metal / Plastic	Metal / Plastic	Metal / Plastic	Metal / Plastic	
Low-Voltage Wire Management	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	Durable steel hangers front and rear captivate charge dongle directly above device	
Charger Trays	(4) Included QuickBrick removable trays make wiring easy and are much larger than competition	(4) Included QuickBrick removable trays make wiring easy and are much larger than competition	Optional 22464 - (3) Quickbrick Trays	No	(2) Included QuickBrick removable trays make wiring easy and are much larger than competition	(4) Included QuickBrick removable trays make wiring easy and are much larger than competition	(3) Included QuickBrick removable trays make wiring easy and are much larger than competition	Large wiring trays on power-side	Large wiring trays on power-side	Lift-out upper divider tray provides access to centralized charger storage bin	(4) Included QuickBrick removable trays make wiring easy and are much larger than competition
Timer / switching options (see chart below for features)	<ul style="list-style-type: none"> PowerProdigy™ Timer eLogix™ Timer Power Switch 	<ul style="list-style-type: none"> PowerProdigy™ Timer eLogix™ Timer Power Switch 	Integrated Junction / Power Box	<ul style="list-style-type: none"> Power Switch 	<ul style="list-style-type: none"> PowerProdigy™ Timer eLogix™ Timer Power Switch 	<ul style="list-style-type: none"> PowerProdigy™ Timer eLogix™ Timer 	<ul style="list-style-type: none"> PowerProdigy™ Timer Power Switch 	<ul style="list-style-type: none"> Power Switch 	<ul style="list-style-type: none"> PowerProdigy™ Timer eLogix™ Timer Power Switch 	<ul style="list-style-type: none"> eLogix™ Timer Power Switch 	<ul style="list-style-type: none"> PowerProdigy™ Timer

	External AUX outlet	Internal AUX outlet	External On / Off switch	Current-sensing technology	2-Bank	4-Bank	*Max charging capacity: 3,780 watts	*Max charging capacity: 2,880 watts	*Max charging capacity: 1,440 watts	LED lights indicate charging status	Certified to 60950-1
PowerProdigy™ Timer Smart charging senses current and distributes power to the devices needing it most. Can prevent electrical overload in older classrooms.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
eLogix™ Timer Charges half of the devices for 15 minutes, then charges the second half of the devices for another 15 minutes. This cycling occurs automatically and is not adjustable.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Power Switch Provides continuous power to all four banks. Use with lower amp-draw devices.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Wheels	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (4 swivel)	5" Balloon Wheels (2 locking)	5" Balloon Wheels (4 swivel)
Number of Locking Casters	4	4	4	4	4	4	4	2	2	4	4
Caster Brake	Plastic Clip	Plastic Clip	Plastic Clip	Plastic Clip	Plastic Clip	Plastic Clip	Plastic Clip	Plastic Clip	Plastic Clip	Plastic Clip	Plastic Clip
Handle	Yes	Yes	Yes	Yes	Yes	Yes	Integrated/Optional	Yes	Yes	Yes	Yes

Fully Assembled	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Worksurface	1" scratch and impact resistant, high-pressured laminate worksurface.	1" scratch and impact resistant, high-pressured laminate worksurface.	1" scratch and impact resistant, high-pressured laminate worksurface.	1" scratch and impact resistant, high-pressured laminate worksurface.	1" scratch and impact resistant, high-pressured laminate worksurface.	1" scratch and impact resistant, high-pressured laminate worksurface.	Metal	Metal	Metal	3/4" scratch and impact resistant, high-pressured laminate worksurface.	1" scratch and impact resistant, high-pressured laminate worksurface.
Construction	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel	Powder coated, heavy gauge steel
Country of Design and Assembly	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA
Listing Agency	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1	cETLus Certified UL 60950-1
Environmental Certification	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage	SCS Indoor Advantage
Warranty	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical	10 Year / 2 Year Electrical
Accessories	95536 - Combination Lock 95004 - Hook & Loop Strap Kit 55474 - Slot Labels for Cloud32	95536 - Combination Lock 95004 - Hook & Loop Strap Kit 55475 - Slot Labels for Cloud40	95536 - Combination Lock 95004 - Hook & Loop Strap Kit 55479 - Slot Labels for InTouch32 22464 - (3) Quickbrick Trays	95536 - Combination Lock 95004 - Hook & Loop Strap Kit	95536 - Combination Lock 95004 - Hook & Loop Strap Kit	95536 - Combination Lock 95004 - Hook & Loop Strap Kit 55477 - Slot Labels for Pro32	95536 - Combination Lock 95004 - Hook & Loop Strap Kit 55476 - Slot Labels for Connect30	95536 - Combination Lock 95004 - Hook & Loop Strap Kit	95536 - Combination Lock 95004 - Hook & Loop Strap Kit	95536 - Combination Lock 95004 - Hook & Loop Strap Kit	95536 - Combination Lock 95004 - Hook & Loop Strap Kit 55475 - Slot Labels for Cloud40
Flex Lectern version available w/ worksurface and surround	-	55470 - Cloud40™ Flex Lectern	-	-	-	55472 - Pro32™ Flex Lectern	-	-	-	-	-

Free dock-to-dock shipping within the 48 contiguous states. Liftgate: +\$120

